



GUIDE TO AS5488 MARKINGS



Color: Orange
Utility: Electricity
Symbol: E



Color: Blue
Utility: Potable Water
Symbol: W



Color: Yellow
Utility: Gas
Symbol: G



Color: White
Utility: Communication
Symbol: C



Color: Green
Utility: Stormwater
Symbol: SW



Color: Red
Utility: Fire Service
Symbol: F



Color: Cream
Utility: Sewer
Symbol: S



Color: Pink
Utility: UN-Identified
Symbol: U



Color: Brown
Utility: Petroleum
Symbol: P



Color: Purple
Utility: Recycled Water
Symbol: R

NOTE: Due to paint supply and surfaces, colors may be different.

SUI Indication of Quality Level:

QLA = Highest Quality / Lowest Risk

Physically Located, must be performed for all construction work involving utility assets

QLB = Significant Risk Reduction

DBYD Cert Utility Locator Service with maximum tolerance levels of +/- 300mm Horizontally and 500mm Vertically.

JSEA must be recommended and performed.

QLC = Low Quality / Probability of Damage

Approximation of Assumed Location and attributes of Utility Services or Asset.

QLD = Least Accurate / High Risk

Intended to only indicate presence of asset, from Utility Plans or DBYD 1100 Responses.